

3

MONTHS

By the End of Three Months

Babies develop at their own pace, so it's impossible to tell exactly when your child will learn a given skill. The developmental milestones listed below will give you a general idea of the changes you can expect, but don't be alarmed if your own baby's development takes a slightly different course.



SOCIAL & EMOTIONAL

- Begins to develop a social smile
- Enjoys playing with other people and may cry when playing stops
- Becomes more expressive and communicates more with face and body
- Imitates some movements and facial expressions



VISION

- Watches faces intently
- Follows moving objects
- Recognizes familiar objects and people at a distance
- Starts using hands and eyes in coordination



MOVEMENT

- Raises head and chest when lying on stomach
- Supports upper body with arms when lying on stomach
- Stretches legs out and kicks when lying on stomach or back
- Opens and shuts hands
- Pushes down on legs when feet are placed on a firm surface
- Brings hand to mouth
- Takes swipes at dangling objects with hands
- Grasps and shakes hand toys



HEARING & SPEECH

- Smiles at the sound of your voice
- Begins to babble
- Begins to imitate some sounds
- Turns head toward direction of sound

DEVELOPMENTAL HEALTH WATCH

- Does not seem to respond to loud noises
- Does not notice hands by 2 months
- Does not follow moving objects with eyes by 2 to 3 months
- Does not grasp and hold objects by 3 months
- Does not smile at people by 3 months
- Cannot support head well by 3 months
- Does not reach for and grasp toys by 3 to 4 months
- Does not babble by 3 to 4 months
- Does not bring objects to mouth by 4 months
- Begins babbling, but does not try to imitate any of your sounds by 4 months
- Does not push down with legs when feet are placed on a firm surface by 4 months
- Has trouble moving one or both eyes in all directions
- Crosses eyes most of the time (occasional crossing of the eyes is normal in these first months)
- Does not pay attention to new faces, or seems very frightened by new faces or surroundings
- Experiences a dramatic loss of skills he or she once had

7

MONTHS

By the End of Seven Months

Babies develop at their own pace, so it's impossible to tell exactly when your child will learn a given skill. The developmental milestones listed below will give you a general idea of the changes you can expect, but don't be alarmed if your own baby's development takes a slightly different course.



MOVEMENT

- Rolls both ways (front to back, back to front)
- Sits with, and then without, support on hands
- Supports whole weight on legs
- Reaches with one hand
- Transfers object from hand to hand
- Uses hand to rake objects



COGNITIVE

- Finds partially hidden object
- Explores with hands and mouth
- Struggles to get objects that are out of reach



LANGUAGE

- Responds to own name
- Begins to respond to "no"
- Can tell emotions by tone of voice
- Responds to sound by making sounds
- Uses voice to express joy and displeasure
- Babbles chains of sounds



SOCIAL & EMOTIONAL

- Enjoys social play
- Interested in mirror images
- Responds to other people's expressions of emotion and appears joyful often



VISION

- Develops full color vision
- Distance vision matures
- Ability to track moving objects improves

DEVELOPMENTAL HEALTH WATCH

- Seems very stiff, with tight muscles
- Seems very floppy, like a rag doll
- Head still flops back when body is pulled to a sitting position
- Reaches with one hand only
- Refuses to cuddle
- Shows no affection for the person who cares for him or her
- Doesn't seem to enjoy being around people
- One or both eyes consistently turn in or out
- Persistent tearing, eye drainage, or sensitivity to light
- Does not respond to sounds around him or her
- Has difficulty getting objects to mouth
- Does not turn head to locate sounds by 4 months

1

YEAR (12 months)

By the End of One Year (12 months)

Babies develop at their own pace, so it's impossible to tell exactly when your child will learn a given skill. The developmental milestones listed below will give you a general idea of the changes you can expect, but don't be alarmed if your own baby's development takes a slightly different course.



SOCIAL & EMOTIONAL

- Shy or anxious with strangers
- Cries when mother or father leaves
- Enjoys imitating people in his play
- Shows specific preferences for certain people and toys
- Tests parental responses to his actions during feedings
- Tests parental responses to his behavior
- May be fearful in some situations
- Prefers mother and/or regular caregiver over all others
- Repeats sounds or gestures for attention
- Finger-feeds himself
- Extends arm or leg to help when being dressed



COGNITIVE

- Explores objects in many different ways (shaking, banging, throwing, dropping)
- Finds hidden objects easily
- Looks at correct picture when the image is named
- Imitates gestures
- Begins to use objects correctly (drinking from cup, brushing hair, dialing phone, listening to receiver)



MOVEMENT

- Reaches sitting position without assistance
- Crawls forward on belly
- Assumes hands-and-knees position
- Creeps on hands and knees
- Gets from sitting to crawling or prone (lying on stomach)
- Pulls self up to stand position
- Walks holding on to furniture
- Stands momentarily without support
- May walk two or three steps without support



LANGUAGE

- Pays increasing attention to speech
- Responds to simple verbal requests
- Responds to "no"
- Uses simple gestures, such as shaking head for "no"
- Babbles with inflection (changes in tone)
- Says "dada" and "mama"
- Uses exclamations, such as "Oh-oh!"
- Tries to imitate words



HAND & FINGER SKILLS

- Uses pincher grasp
- Bangs two objects together
- Puts objects into container
- Takes objects out of container
- Lets objects go voluntarily
- Pokes with index finger
- Tries to imitate scribbling

DEVELOPMENTAL HEALTH WATCH

- Does not crawl
- Drags one side of body while crawling (for over one month)
- Cannot stand when supported
- Does not search for objects that are hidden while he or she watches
- Says no single words ("mama" or "dada")
- Does not learn to use gestures, such as waving or shaking head
- Does not point to objects or pictures
- Experiences a dramatic loss of skills he or she once had

2

YEARS (24 months)

By the End of Two Years (24 months)

Babies develop at their own pace, so it's impossible to tell exactly when your child will learn a given skill. The developmental milestones listed below will give you a general idea of the changes you can expect, but don't be alarmed if your own baby's development takes a slightly different course.



SOCIAL

- Imitates behavior of others, especially adults and older children
- More aware of herself as separate from others
- More excited about company of other children



EMOTIONAL

- Demonstrates increasing independence
- Begins to show defiant behavior
- Separation anxiety increases toward midyear then fades



COGNITIVE

- Finds objects even when hidden under two or three covers
- Begins to sort by shapes and colors
- Begins make-believe play



LANGUAGE

- Points to object or picture when it's named for him
- Recognizes names of familiar people, objects, and body parts
- Says several single words (by 15 to 18 months)
- Uses simple phrases (by 18 to 24 months)
- Uses 2- to 4-word sentences
- Follows simple instructions
- Repeats words overheard in conversation



MOVEMENT

- Walks alone
- Pulls toys behind her while walking
- Carries large toy or several toys while walking
- Begins to run
- Stands on tiptoe
- Kicks a ball
- Climbs onto and down from furniture unassisted
- Walks up and down stairs holding on to support



HAND & FINGER SKILLS

- Scribbles on his or her own
- Turns over container to pour out contents
- Builds tower of four blocks or more
- Might use one hand more often than the other

DEVELOPMENTAL HEALTH WATCH

- Cannot walk by 18 months
- Fails to develop a mature heel-toe walking pattern after several months of walking, or walks only on his toes
- Does not speak at least 15 words
- Does not use two-word sentences by age 2
- By 15 months, does not seem to know the function of common household objects (brush, telephone, bell, fork, spoon)
- Does not imitate actions or words by the end of this period
- Does not follow simple instructions by age 2
- Cannot push a wheeled toy by age 2
- Experiences a dramatic loss of skills he or she once had

3

YEARS (36 months)

By the End of Three Years (36 months)

Babies develop at their own pace, so it's impossible to tell exactly when your child will learn a given skill. The developmental milestones listed below will give you a general idea of the changes you can expect, but don't be alarmed if your own baby's development takes a slightly different course.



SOCIAL

- Imitates adults and playmates
- Spontaneously shows affection for familiar playmates
- Can take turns in games
- Understands concept of "mine" and "his/hers"



COGNITIVE

- Makes mechanical toys work
- Matches an object in her hand or room to a picture in a book
- Plays make-believe with dolls, animals, and people
- Sorts objects by shape and color
- Completes puzzles with three or four pieces
- Understands concept of "two"



HAND & FINGER SKILLS

- Makes up-and-down, side-to-side, and circular lines with pencil or crayon
- Turns book pages one at a time
- Builds a tower of more than six blocks
- Holds a pencil in writing position
- Screws and unscrews jar lids, nuts, and bolts
- Turns rotating handles



LANGUAGE

- Follows a two- or three-part command
- Recognizes and identifies almost all common objects and pictures
- Understands most sentences
- Understands placement in space ("on," "in," "under")
- Uses 4- to 5-word sentences
- Can say name, age, and sex
- Uses pronouns (I, you, me, we, they) and some plurals (cars, dogs, cats)
- Strangers can understand most of her words



MOVEMENT

- Climbs well
- Walks up and down stairs, alternating feet (one foot per stair step)
- Kicks ball
- Runs easily
- Pedals tricycle
- Bends over easily without falling



EMOTIONAL

- Expresses affection openly
- Expresses a wide range of emotions
- By 3, separates easily from parents
- Objects to major changes in routine

DEVELOPMENTAL HEALTH WATCH

- Frequent falling and difficulty with stairs
- Persistent drooling or very unclear speech
- Cannot build a tower of more than four blocks
- Difficulty manipulating small objects
- Cannot copy a circle by age 3
- Cannot communicate in short phrases
- No involvement in "pretend" play
- Does not understand simple instructions
- Little interest in other children
- Extreme difficulty separating from mother or primary caregiver
- Poor eye contact
- Limited interest in toys
- Experiences a dramatic loss of skills he or she once had

4 YEARS (48 months)

By the End of Four Years (48 months)

Babies develop at their own pace, so it's impossible to tell exactly when your child will learn a given skill. The developmental milestones listed below will give you a general idea of the changes you can expect, but don't be alarmed if your own baby's development takes a slightly different course.



LANGUAGE

- Has mastered some basic rules of grammar
- Speaks in sentences of five to six words
- Speaks clearly enough for strangers to understand
- Tells stories



HAND & FINGER SKILLS

- Copies square shapes
- Draws a person with two to four body parts
- Uses scissors
- Draws circles and squares
- Begins to copy some capital letters



EMOTIONAL

- Imagines that many unfamiliar images may be "monsters"
- Views self as a whole person involving body, mind, and feelings
- Often cannot tell the difference between fantasy and reality



MOVEMENT

- Hops and stands on one foot up to five seconds
- Goes upstairs and downstairs without support
- Kicks ball forward
- Throws ball overhand
- Catches bounced ball most of the time
- Moves forward and backward with agility



COGNITIVE

- Correctly names some colors
- Understands the concept of counting and may know a few numbers
- Tries to solve problems from a single point of view
- Begins to have a clearer sense of time
- Follows three-part commands
- Recalls parts of a story
- Understands the concepts of "same" and "different"
- Engages in fantasy play



SOCIAL

- Interested in new experiences
- Cooperates with other children
- Plays "Mom" or "Dad" increasingly inventive in fantasy play
- Dresses and undresses
- Negotiates solutions to conflicts
- More independent

DEVELOPMENTAL HEALTH WATCH

- Cannot throw a ball overhand
- Cannot jump in place
- Cannot ride a tricycle
- Cannot grasp a crayon between thumb and fingers
- Has difficulty scribbling
- Cannot stack four blocks
- Still clings or cries whenever parents leave
- Shows no interest in interactive games
- Ignores other children
- Doesn't respond to people outside the family
- Doesn't engage in fantasy play
- Resists dressing, sleeping, using the toilet
- Lashes out without any self-control when angry or upset
- Cannot copy a circle
- Doesn't use sentences of more than three words
- Doesn't use "me" and "you" correctly
- Experiences a dramatic loss of skills he or she once had

5

YEARS (62 months)

By the End of Five Years (62 months)

Babies develop at their own pace, so it's impossible to tell exactly when your child will learn a given skill. The developmental milestones listed below will give you a general idea of the changes you can expect, but don't be alarmed if your own baby's development takes a slightly different course.



SOCIAL

- Wants to please friends
- Wants to be like her friends
- More likely to agree to rules
- Likes to sing, dance, and act
- Shows more independence and may even visit a next-door neighbor by herself



EMOTIONAL

- Aware of gender
- Able to distinguish fantasy from reality
- Sometimes demanding, sometimes eagerly cooperative



COGNITIVE

- Can count 10 or more objects
- Correctly names at least four colors
- Better understands the concept of time
- Knows about things used every day in the home (money, food, appliances)



LANGUAGE

- Recalls part of a story
- Speaks sentences of more than five words
- Uses future tense
- Tells longer stories
- Says name and address



MOVEMENT

- Stands on one foot for 10 seconds or longer
- Hops, somersaults
- Swings, climbs
- May be able to skip



HAND & FINGER SKILLS

- Copies triangle and other shapes
- Draws person with body
- Prints some letters
- Dresses and undresses
- without help
- Uses fork, spoon, and (sometimes) a table knife
- Usually cares for own toilet needs

DEVELOPMENTAL HEALTH WATCH

- Acts extremely fearful or timid
- Acts extremely aggressively
- Is unable to separate from parents without major protest
- Is unable to concentrate on any single activity for more than 5 minutes
- Shows little interest in playing with other children
- Refuses to respond to people in general, or responds only superficially
- Rarely uses fantasy or imitation in play
- Seems unhappy or sad much of the time
- Doesn't engage in a variety of activities
- Avoids or seems aloof with other children and adults
- Doesn't express a wide range of emotions
- Has trouble eating, sleeping, or toileting
- Can't tell the difference between fantasy and reality
- Seems unusually passive
- Cannot understand two-part commands using prepositions
- Can't correctly give her first and last name
- Doesn't use plurals or past tense properly when speaking
- Doesn't talk about her daily activities and experiences
- Cannot build a tower of six to eight blocks
- Seems uncomfortable holding a crayon
- Has trouble taking off clothing
- Cannot brush her teeth efficiently
- Cannot wash and dry her hands
- Experiences a dramatic loss of skills he or she once had